

INTERNATIONAL PRACTICAL SHOOTING CONFEDERATION

HANDGUN TARGET ARRAY BOOK

SEPTEMBER, 2023 EDITION

International Range Officer Association (IROA) 64 Nicholson Crescent, Minesing Ontario Canada L9X 0G9


Tel: +1 705 733 6989 WhatsApp +1 705 7336989


Email: <u>iroa@ipsc.org</u> Web: <u>www.ipsc.org/iroa</u>

Copyright © 2023 International Range Officer Association (IROA)


SECTION 1: Individual IPSC Targets


1.1 When **cutting**scoring IPSC targets or IPSCno-shoots, only the lower portion, or a diagonal portion, or one of the sides can be cut, and a replacement non-scoring border must be fitted (see Rule 4.2.3.2):






1.2 When **painting** scoring IPSC targets or IPSCno-shoots, only the lower portion, or a diagonal portion, or the sides can be painted. A replacement non-scoring border is not necessary, but the use of tape to create a sharply definedboundary of the Hard Cover is recommended (see Rule 4.2.3.3):






17	18	19	20
	Intentionally Left Blank	Intentionally Left Blank	Intentionally Left Blank


1.3 If a single IPSCtarget is cut vertically to represent two IPSCtargets, the two pieces must be placed at least 1m apart. However, a scoring IPSCtarget may be painted with a vertical strip of Hard Cover, provided it is not treated as more than a single IPSCtarget (see Rule 4.1.5):




1.4 A portion of one scoring IPSCtarget or IPSCno-shoot must not be placed within the boundaries of another scoring IPSCtarget or IPSCno-shoot, and a scoring IPSCtarget or IPSCno-shoot must not be hollowed:




1.5 The top of the IPSC Target or IPSCNo-shootsmust never exceed 1.8m in height and IPSC Mini Target or IPSC Mini No-shoots must never exceed 1.6m in height.







1.6When alack of contrast with the surrounding area or background necessitates that a different color of IPSC Target be used. (Rule 4.1.2.1). Most applicable at long distances used at mini rifle and rifle matches.




SECTION 2: Multiple IPSCTargets


2.1 The upper portion of scoring IPSC targets or IPSC no-shoots must never be removed or concealed:









Whole IPSC targets must not be used as Hard Cover (see Rule 4.1.4.1). To segregate two adjacent scoring IPSC targets, use a IPSC no-shoot:







2.3 A IPSCno-shoot may be placed to the forward or to the rear of two adjoining scoring IPSCtargets:





2.4 Overlapping IPSC targets can be comprised of just two scoring IPSCtargets, or two scoring IPSCtargets with a IPSCno-shoot separating them:





2.5 IPSCTarget arrays which are illogical or impractical, or which are overly complicated, thereby making them difficult to replace consistently for the duration of a match, will not be ACCEPTABLE:




















SECTION 3: Mixing IPSCTargets &IPSC Metal Targets

3.1 When mixed together, IPSCTargets and IPSC Metal Targets must offer a practical presentation:










SECTION 4: Carnival Target Arrays


4.1 Target arrays such as "**stars**", "**plate racks**", "**trees**", and similar devices are NOT ACCEPTABLE. However, up to 2 authorized IPSC Metalplates, presented above a sturdy common base, may be ACCEPTABLE.











78	79
	Intentionally Left Blank
NOT ACCEPTABLE	















SECTION 5: Mixed Target Types and Size Arrays


5.1 The following types and sizes of IPSC Targets must not be included together in the same target array:IPSC Targets and IPSC Mini Targets; orIPSC Poppers and IPSC Mini Poppers (see Rule 4.1.1.2)

















102	103
IPSC POPPER IPSC MINI POPPER	Intentionally Left Blank
NOT ACCEPTABLE	







SECTION 6: Stage Design

6.1 The following Cooper tunnel designs must be followed






6.2The following tunnel designs must be followed




114	115
NOT ACCEPTABLE	Intentionally Left Blank
NOT ACCEL TABLE	

SECTION 7: Swingers


6.3 When using Swinger IPSC Metal Plates, only two (2) IPSCMetalPlates can be used in the swinger at the same time.






6.4 When using Swingers, IPSC metal No shoots or IPSC paper No shoots must remain still.

EXAMPLES OF SWINGER IPSC TARGETS		
120	121	
ACCEPTABLE	NOT ACCEPTABLE	
122	123	
ACCEPTABLE	NOT ACCEPTABLE	



SECTION 8: Shooting Area

6.5 When a competitor ready condition requires that the firearm or magazines, or speed loaders be placed on a table or similar, the table or similar must be inside the clearly demarcated shooting area.



6.6 When using a mechanical activator (e.g. a rope, a lever, pedal, flap, door, etc), the mechanical activator must be inside the clearly demarcated shooting area.

